

水質調査業務 分析結果表

平成5年4月14日

| 項目 | 地点名 単位 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|----------------------|-----------|---------|---------|---------|---------|---------|---------|
| 採水時刻 | 時:分 | 10:38 | 10:29 | 10:12 | 10:55 | 11:03 | 11:13 |
| 天候 | — | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| 気温 | ℃ | 16.1 | 13.0 | 14.0 | 16.5 | 15.8 | 15.8 |
| 水温 | ℃ | 9.2 | 8.3 | 8.8 | 9.5 | 10.1 | 10.0 |
| 水深 | m | 0.4 | 0.3 | 0.5 | 0.6 | 0.6 | 0.6 |
| 水位 | cm | | | 70 | | | |
| pH | — | 7.7 | 7.4 | 7.5 | 7.7 | 7.4 | 7.6 |
| COD | mg/l | 2.0 | 1.9 | 2.0 | 1.9 | 3.0 | 2.3 |
| BOD | mg/l | 0.8 | 0.8 | 1.0 | 0.7 | 2.0 | 1.0 |
| SS | mg/l | 1.4 | 1.5 | 1.4 | 1.9 | 2.4 | 1.7 |
| DO | mg/l | 12.1 | 12.2 | 12.2 | 12.3 | 13.3 | 13.7 |
| 大腸菌群 | MPN/100ml | 3.3E+03 | 1.3E+03 | 1.7E+03 | 1.3E+03 | 4.9E+03 | 1.3E+03 |
| 濁度 | 度 | 1.0 | 0.9 | 0.8 | 0.9 | 1.3 | 1.0 |
| T-N | mg/l | 0.77 | 0.45 | 0.68 | 0.62 | 1.24 | 0.80 |
| NO ₂ -N | mg/l | | | | | | |
| NO ₃ -N | mg/l | | | | | | |
| NH ₄ -N | mg/l | | | | | | |
| K-N | mg/l | | | | | | |
| T-P | mg/l | 0.012 | 0.009 | 0.010 | 0.009 | 0.061 | 0.028 |
| PO ₄ -P | mg/l | | | | | | |
| D・T-N | mg/l | | | | | | |
| D・K-N | mg/l | | | | | | |
| D・T-P | mg/l | | | | | | |
| D・PO ₄ -P | mg/l | | | | | | |
| クロロフィル a | μg/l | | | | | | |
| Cd | mg/l | | | | | | |
| CN | mg/l | | | | | | |
| 有機リン | mg/l | | | | | | |
| Pb | mg/l | | | | | | |
| Cr(VI) | mg/l | | | | | | |
| As | mg/l | | | | | | |
| T-Hg | mg/l | | | | | | |
| (R-Hg) | mg/l | | | | | | |
| PCB | mg/l | | | | | | |

水質調査業務 分析結果表

平成5年5月12日

| 項目 | 地点名 単位 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|-----------------------|-----------|---------|---------|---------|---------|---------|---------|
| 採水時刻 | 時:分 | 10:39 | 10:28 | 10:12 | 10:54 | 11:00 | 11:10 |
| 天候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| 気温 | ℃ | 25.6 | 24.2 | 24.2 | 26.7 | 26.0 | 26.1 |
| 水温 | ℃ | 15.1 | 15.5 | 15.1 | 17.0 | 17.8 | 17.3 |
| 水深 | m | 0.4 | 0.3 | 0.6 | 0.5 | 0.5 | 0.5 |
| 水位 | cm | | | 70 | | | |
| pH | - | 7.5 | 7.3 | 7.3 | 7.5 | 7.1 | 7.6 |
| COD | mg/l | 2.1 | 1.9 | 2.4 | 2.6 | 3.8 | 3.2 |
| BOD | mg/l | 1.0 | 1.0 | 0.9 | 1.0 | 2.2 | 1.3 |
| SS | mg/l | 2.8 | 2.6 | 2.6 | 7.2 | 9.2 | 4.1 |
| DO | mg/l | 9.9 | 10.9 | 10.6 | 10.2 | 10.6 | 11.1 |
| 大腸菌群 | MPN/100ml | 1.3E+03 | 1.3E+03 | 4.9E+03 | 2.3E+03 | 7.9E+04 | 4.9E+03 |
| 濁度 | 度 | 1.3 | 1.3 | 1.2 | 5.9 | 5.4 | 3.3 |
| T-N | mg/l | 0.78 | 0.59 | 0.73 | 0.75 | 1.60 | 1.12 |
| NO ₂ -N | mg/l | 0.004 | 0.002 | 0.002 | | | |
| NO ₃ -N | mg/l | 0.61 | 0.44 | 0.56 | | | |
| NH ₄ -N | mg/l | 0.02 | 0.01 | 0.02 | | | |
| K-N | mg/l | 0.17 | 0.15 | 0.17 | | | |
| T-P | mg/l | 0.021 | 0.017 | 0.018 | 0.030 | 0.095 | 0.057 |
| P O ₄ -P | mg/l | 0.014 | 0.007 | 0.008 | | | |
| D・T-N | mg/l | 0.75 | 0.54 | 0.69 | | | |
| D・K-N | mg/l | 0.14 | 0.10 | 0.13 | | | |
| D・T-P | mg/l | 0.013 | 0.009 | 0.010 | | | |
| D・P O ₄ -P | mg/l | 0.009 | 0.005 | 0.006 | | | |
| クロロフィル a | μg/l | 2.8 | 3.0 | 2.9 | | | |
| Cd | mg/l | | | | | | |
| CN | mg/l | | | | | | |
| 有機リン | mg/l | | | | | | |
| Pb | mg/l | | | | | | |
| Cr(VI) | mg/l | | | | | | |
| As | mg/l | | | | | | |
| T-Hg | mg/l | | | | | | |
| (R-Hg) | mg/l | | | | | | |
| PCB | mg/l | | | | | | |

水質調査業務 分析結果表

平成5年6月2日

| 項目 | 地点名 単位 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|----------------------|-----------|---------|---------|---------|---------|---------|---------|
| 採水時刻 | 時:分 | 10:26 | 10:19 | 10:08 | 10:37 | 10:44 | 10:51 |
| 天候 | — | 曇 | 曇 | 曇 | 曇 | 曇 | 曇 |
| 気温 | ℃ | 18.3 | 18.0 | 18.8 | 18.4 | 18.5 | 19.0 |
| 水温 | ℃ | 16.5 | 16.0 | 16.4 | 17.0 | 17.0 | 17.1 |
| 水深 | m | 0.4 | 0.3 | 0.5 | 0.5 | 0.5 | 0.5 |
| 水位 | cm | | | 72 | | | |
| pH | — | 7.6 | 7.4 | 7.4 | 7.3 | 7.1 | 7.5 |
| COD | mg/l | 2.3 | 2.2 | 2.4 | 2.6 | 4.3 | 3.5 |
| BOD | mg/l | 0.9 | 0.8 | 0.8 | 1.0 | 2.1 | 1.3 |
| SS | mg/l | 3.9 | 3.7 | 4.7 | 5.1 | 8.4 | 4.7 |
| DO | mg/l | 9.3 | 8.7 | 9.3 | 9.3 | 9.3 | 9.5 |
| 大腸菌群 | MPN/100ml | 2.2E+03 | 1.4E+03 | 2.2E+03 | 4.9E+03 | 1.3E+04 | 7.9E+03 |
| 濁度 | 度 | 1.4 | 3.0 | 1.3 | 1.6 | 3.0 | 2.1 |
| T-N | mg/l | 0.79 | 0.53 | 0.55 | 0.60 | 1.38 | 0.98 |
| NO ₂ -N | mg/l | | | | | | |
| NO ₃ -N | mg/l | | | | | | |
| NH ₄ -N | mg/l | | | | | | |
| K-N | mg/l | | | | | | |
| T-P | mg/l | 0.024 | 0.019 | 0.022 | 0.023 | 0.101 | 0.075 |
| PO ₄ -P | mg/l | | | | | | |
| D・T-N | mg/l | | | | | | |
| D・K-N | mg/l | | | | | | |
| D・T-P | mg/l | | | | | | |
| D・PO ₄ -P | mg/l | | | | | | |
| クロロフィル a | μg/l | | | | | | |
| Cd | mg/l | | | | | | |
| CN | mg/l | | | | | | |
| 有機リン | mg/l | | | | | | |
| Pb | mg/l | | | | | | |
| Cr(VI) | mg/l | | | | | | |
| As | mg/l | | | | | | |
| T-Hg | mg/l | | | | | | |
| (R-Hg) | mg/l | | | | | | |
| PCB | mg/l | | | | | | |

水質調査業務 分析結果表

平成5年7月7日

| 項目 | 地点名 単位 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|----------------------|-----------|---------|---------|---------|---------|---------|---------|
| 採水時刻 | 時:分 | 10:38 | 10:31 | 10:16 | 10:53 | 11:00 | 11:11 |
| 天候 | — | 雨 | 雨 | 雨 | 雨 | 雨 | 雨 |
| 気温 | ℃ | 20.0 | 20.6 | 20.2 | 21.3 | 20.7 | 20.5 |
| 水温 | ℃ | 16.0 | 15.2 | 15.8 | 16.1 | 16.2 | 16.2 |
| 水深 | m | 0.8 | 0.8 | 0.9 | 0.9 | 0.7 | 0.7 |
| 水位 | cm | | | 112 | | 58 | |
| pH | — | 7.3 | 7.1 | 7.2 | 7.2 | 7.0 | 7.1 |
| COD | mg/l | 3.4 | 2.4 | 2.9 | 2.9 | 3.2 | 3.2 |
| BOD | mg/l | 0.6 | 0.6 | 0.6 | 0.5 | 0.5 | 0.7 |
| SS | mg/l | 11.5 | 4.2 | 7.5 | 8.0 | 9.6 | 9.1 |
| DO | mg/l | 9.2 | 9.3 | 9.3 | 9.3 | 9.2 | 9.3 |
| 大腸菌群 | MPN/100ml | 3.5E+03 | 4.9E+03 | 2.8E+03 | 7.9E+03 | 4.9E+03 | 7.9E+03 |
| 濁度 | 度 | 4.2 | 1.6 | 3.0 | 3.1 | 4.0 | 4.1 |
| T-N | mg/l | 0.98 | 0.58 | 0.81 | 0.81 | 1.14 | 1.02 |
| NO ₂ -N | mg/l | | | | | | |
| NO ₃ -N | mg/l | | | | | | |
| NH ₄ -N | mg/l | | | | | | |
| K-N | mg/l | | | | | | |
| T-P | mg/l | 0.032 | 0.019 | 0.029 | 0.028 | 0.038 | 0.037 |
| PO ₄ -P | mg/l | | | | | | |
| D・T-N | mg/l | | | | | | |
| D・K-N | mg/l | | | | | | |
| D・T-P | mg/l | | | | | | |
| D・PO ₄ -P | mg/l | | | | | | |
| クロロフィル a | μg/l | | | | | | |
| Cd | mg/l | | | | | | |
| CN | mg/l | | | | | | |
| 有機リン | mg/l | | | | | | |
| Pb | mg/l | | | | | | |
| Cr(VI) | mg/l | | | | | | |
| As | mg/l | | | | | | |
| T-Hg | mg/l | | | | | | |
| (R-Hg) | mg/l | | | | | | |
| PCB | mg/l | | | | | | |

水質調査業務 分析結果表

平成5年8月4日

| 項目 | 地点名 単位 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|----------------------|-----------|---------|---------|---------|---------|---------|---------|
| 採水時刻 | 時:分 | 11:05 | 11:18 | 10:55 | 11:36 | 11:42 | 11:52 |
| 天候 | — | 曇 | 曇 | 小雨 | 曇 | 曇 | 曇 |
| 気温 | ℃ | 24.8 | 22.7 | 24.0 | 24.6 | 25.3 | 25.8 |
| 水温 | ℃ | 18.3 | 18.5 | 18.5 | 19.1 | 19.0 | 19.2 |
| 水深 | m | 0.7 | 0.5 | 0.8 | 0.7 | 0.8 | 0.7 |
| 水位 | cm | | | 102 | | 53 | |
| pH | — | 7.3 | 7.1 | 7.1 | 7.2 | 6.9 | 7.0 |
| COD | mg/l | 3.7 | 3.3 | 3.5 | 3.5 | 3.8 | 3.9 |
| BOD | mg/l | 0.7 | 0.8 | 0.9 | 0.7 | 0.9 | 0.9 |
| SS | mg/l | 10.9 | 6.3 | 10.5 | 10.7 | 14.9 | 13.2 |
| DO | mg/l | 8.8 | 8.7 | 8.8 | 8.8 | 8.9 | 8.8 |
| 大腸菌群 | MPN/100ml | 4.9E+03 | 4.9E+03 | 7.9E+03 | 4.9E+04 | 3.3E+04 | 2.3E+04 |
| 濁度 | 度 | 5.1 | 3.1 | 4.6 | 4.9 | 7.4 | 5.9 |
| T-N | mg/l | 0.82 | 0.52 | 0.70 | 0.69 | 1.08 | 0.92 |
| NO ₂ -N | mg/l | 0.002 | 0.001 | 0.001 | | | |
| NO ₃ -N | mg/l | 0.60 | 0.33 | 0.50 | | | |
| NH ₄ -N | mg/l | 0.01 | 0.01 | 0.00 | | | |
| K-N | mg/l | 0.21 | 0.18 | 0.20 | | | |
| T-P | mg/l | 0.035 | 0.022 | 0.032 | 0.034 | 0.053 | 0.053 |
| PO ₄ -P | mg/l | 0.022 | 0.014 | 0.020 | | | |
| D・T-N | mg/l | 0.77 | 0.41 | 0.62 | | | |
| D・K-N | mg/l | 0.16 | 0.07 | 0.12 | | | |
| D・T-P | mg/l | 0.016 | 0.011 | 0.014 | | | |
| D・PO ₄ -P | mg/l | 0.012 | 0.007 | 0.012 | | | |
| クロロフィル a | μg/l | 2.2 | 2.3 | 2.8 | | | |
| Cd | mg/l | | | | | | |
| CN | mg/l | | | | | | |
| 有機リン | mg/l | | | | | | |
| Pb | mg/l | | | | | | |
| Cr(VI) | mg/l | | | | | | |
| As | mg/l | | | | | | |
| T-Hg | mg/l | | | | | | |
| (R-Hg) | mg/l | | | | | | |
| PCB | mg/l | | | | | | |

水質調査業務 分析結果表

平成5年9月1日

| 項目 | 地点名 単位 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|----------------------|-----------|---------|---------|---------|---------|---------|---------|
| 採水時刻 | 時:分 | 10:42 | 10:32 | 10:21 | 10:55 | 11:02 | 11:11 |
| 天候 | - | 晴 | 晴 | 晴 | 曇 | 曇 | 曇 |
| 気温 | ℃ | 29.2 | 28.8 | 28.6 | 29.0 | 29.3 | 29.1 |
| 水温 | ℃ | 20.2 | 20.5 | 20.5 | 21.8 | 21.5 | 21.7 |
| 水深 | m | 0.5 | 0.5 | 0.6 | 0.6 | 0.5 | 0.6 |
| 水位 | cm | | | 84 | | | |
| pH | - | 7.6 | 7.4 | 7.5 | 7.5 | 7.2 | 7.5 |
| COD | mg/l | 2.7 | 2.1 | 2.5 | 2.5 | 2.8 | 2.5 |
| BOD | mg/l | 0.4 | 0.5 | 0.2 | 0.7 | 0.6 | 0.5 |
| SS | mg/l | 7.4 | 3.8 | 6.4 | 6.1 | 6.5 | 4.6 |
| DO | mg/l | 8.5 | 8.5 | 8.4 | 8.5 | 8.7 | 9.0 |
| 大腸菌群 | MPN/100ml | 3.3E+04 | 7.0E+03 | 1.4E+04 | 1.3E+04 | 2.8E+04 | 7.9E+03 |
| 濁度 | 度 | 3.6 | 2.1 | 3.4 | 3.1 | 3.2 | 2.6 |
| T-N | mg/l | 0.70 | 0.38 | 0.56 | 0.57 | 0.84 | 0.69 |
| NO ₂ -N | mg/l | | | | | | |
| NO ₃ -N | mg/l | | | | | | |
| NH ₄ -N | mg/l | | | | | | |
| K-N | mg/l | | | | | | |
| T-P | mg/l | 0.031 | 0.018 | 0.027 | 0.025 | 0.051 | 0.039 |
| PO ₄ -P | mg/l | | | | | | |
| D・T-N | mg/l | | | | | | |
| D・K-N | mg/l | | | | | | |
| D・T-P | mg/l | | | | | | |
| D・PO ₄ -P | mg/l | | | | | | |
| クロロフィル a | μg/l | | | | | | |
| Cd | mg/l | | | 不検出 | | | |
| CN | mg/l | | | 不検出 | | | |
| 有機リン | mg/l | | | 不検出 | | | |
| Pb | mg/l | | | 不検出 | | | |
| Cr(VI) | mg/l | | | 不検出 | | | |
| As | mg/l | | | 不検出 | | | |
| T-Hg | mg/l | | | 不検出 | | | |
| (R-Hg) | mg/l | | | (不検出) | | | |
| PCB | mg/l | | | 不検出 | | | |

水質調査業務 分析結果表

平成5年10月6日

| 項目 | 地点名 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|----------------------|-----------|---------|---------|---------|---------|---------|---------|
| | 単位 | | | | | | |
| 採水時刻 | 時:分 | 10:20 | 10:11 | 10:02 | 10:33 | 10:40 | 10:49 |
| 天候 | — | 曇 | 曇 | 曇 | 曇 | 曇 | 曇 |
| 気温 | ℃ | 16.2 | 15.0 | 15.0 | 16.5 | 16.5 | 16.7 |
| 水温 | ℃ | 13.6 | 13.3 | 13.6 | 13.8 | 14.1 | 14.1 |
| 水深 | m | 0.5 | 0.4 | 0.6 | 0.5 | 0.7 | 0.7 |
| 水位 | cm | | | 96 | | | |
| pH | — | 7.6 | 7.4 | 7.6 | 7.6 | 7.3 | 7.5 |
| COD | mg/l | 2.2 | 1.8 | 2.1 | 2.1 | 2.6 | 2.3 |
| BOD | mg/l | 0.6 | 0.6 | 0.6 | 0.7 | 0.9 | 0.7 |
| SS | mg/l | 3.9 | 1.3 | 2.3 | 2.0 | 2.9 | 1.8 |
| DO | mg/l | 10.0 | 10.1 | 10.1 | 10.2 | 10.1 | 10.3 |
| 大腸菌群 | MPN/100ml | 1.3E+04 | 3.3E+03 | 3.3E+03 | 7.9E+03 | 4.9E+03 | 7.9E+03 |
| 濁度 | 度 | 2.5 | 0.8 | 1.5 | 1.1 | 1.9 | 1.5 |
| T-N | mg/l | 0.65 | 0.35 | 0.54 | 0.53 | 0.94 | 0.69 |
| NO ₂ -N | mg/l | | | | | | |
| NO ₃ -N | mg/l | | | | | | |
| NH ₄ -N | mg/l | | | | | | |
| K-N | mg/l | | | | | | |
| T-P | mg/l | 0.018 | 0.009 | 0.012 | 0.010 | 0.103 | 0.058 |
| PO ₄ -P | mg/l | | | | | | |
| D・T-N | mg/l | | | | | | |
| D・K-N | mg/l | | | | | | |
| D・T-P | mg/l | | | | | | |
| D・PO ₄ -P | mg/l | | | | | | |
| クロロフィル a | μg/l | | | | | | |
| Cd | mg/l | | | | | | |
| CN | mg/l | | | | | | |
| 有機リン | mg/l | | | | | | |
| Pb | mg/l | | | | | | |
| Cr(VI) | mg/l | | | | | | |
| As | mg/l | | | | | | |
| T-Hg | mg/l | | | | | | |
| (R-Hg) | mg/l | | | | | | |
| PCB | mg/l | | | | | | |

水質調査業務 分析結果表

平成5年11月10日

| 項目 | 地点名 単位 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|----------------------|-----------|---------|---------|---------|---------|---------|---------|
| 採水時刻 | 時:分 | 10:28 | 10:20 | 10:09 | 10:41 | 10:47 | 10:55 |
| 天候 | - | 曇 | 曇 | 曇 | 曇 | 曇 | 曇 |
| 気温 | ℃ | 13.8 | 14.0 | 14.5 | 15.2 | 15.5 | 15.5 |
| 水温 | ℃ | 10.5 | 10.0 | 10.3 | 10.4 | 10.8 | 11.0 |
| 水深 | m | 0.4 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| 水位 | cm | | | 88 | | | |
| pH | - | 7.5 | 7.4 | 7.4 | 7.4 | 7.1 | 7.3 |
| COD | mg/l | 1.8 | 1.7 | 1.8 | 1.6 | 2.3 | 2.0 |
| BOD | mg/l | 0.8 | 0.8 | 0.5 | 0.5 | 1.0 | 0.7 |
| SS | mg/l | 2.4 | 0.7 | 2.1 | 1.4 | 2.9 | 2.1 |
| DO | mg/l | 10.7 | 11.0 | 10.9 | 11.0 | 10.9 | 11.2 |
| 大腸菌群 | MPN/100ml | 3.3E+03 | 2.3E+03 | 7.9E+03 | 2.3E+03 | 7.0E+03 | 1.3E+04 |
| 濁度 | 度 | 1.5 | 0.5 | 1.1 | 0.9 | 1.9 | 1.5 |
| T-N | mg/l | 0.65 | 0.40 | 0.58 | 0.56 | 0.84 | 0.73 |
| NO ₂ -N | mg/l | 0.003 | 0.001 | 0.001 | | | |
| NO ₃ -N | mg/l | 0.56 | 0.29 | 0.49 | | | |
| NH ₄ -N | mg/l | 0.01 | 0.00 | 0.01 | | | |
| K-N | mg/l | 0.08 | 0.11 | 0.08 | | | |
| T-P | mg/l | 0.016 | 0.010 | 0.014 | 0.012 | 0.046 | 0.030 |
| PO ₄ -P | mg/l | 0.013 | 0.007 | 0.010 | | | |
| D・T-N | mg/l | 0.63 | 0.38 | 0.56 | | | |
| D・K-N | mg/l | 0.06 | 0.09 | 0.06 | | | |
| D・T-P | mg/l | 0.010 | 0.008 | 0.009 | | | |
| D・PO ₄ -P | mg/l | 0.009 | 0.005 | 0.007 | | | |
| クロロフィル a | μg/l | 1.0 | 1.1 | 1.1 | | | |
| Cd | mg/l | | | | | | |
| CN | mg/l | | | | | | |
| 有機リン | mg/l | | | | | | |
| Pb | mg/l | | | | | | |
| Cr(VI) | mg/l | | | | | | |
| As | mg/l | | | | | | |
| T-Hg | mg/l | | | | | | |
| (R-Hg) | mg/l | | | | | | |
| PCB | mg/l | | | | | | |

水質調査業務 分析結果表

平成5年12月1日

| 項目 | 地点名 単位 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|----------------------|-----------|---------|---------|---------|---------|---------|---------|
| 採水時刻 | 時:分 | 10:26 | 10:19 | 10:09 | 10:40 | 10:47 | 10:56 |
| 天候 | - | 曇 | 曇 | 曇 | 曇 | 曇 | 曇 |
| 気温 | ℃ | 11.8 | 11.7 | 11.2 | 12.2 | 12.2 | 11.8 |
| 水温 | ℃ | 9.9 | 9.6 | 9.8 | 9.8 | 10.0 | 9.8 |
| 水深 | m | 0.5 | 0.3 | 0.6 | 0.7 | 0.7 | 0.7 |
| 水位 | cm | | | 90 | | | |
| pH | - | 7.3 | 7.3 | 7.3 | 7.3 | 7.2 | 7.2 |
| COD | mg/l | 1.7 | 1.5 | 1.7 | 1.6 | 2.2 | 1.9 |
| BOD | mg/l | 0.5 | 0.4 | 0.4 | 0.4 | 0.8 | 0.7 |
| SS | mg/l | 3.1 | 0.8 | 2.4 | 2.3 | 4.1 | 2.1 |
| DO | mg/l | 11.0 | 11.1 | 11.0 | 11.2 | 11.0 | 11.3 |
| 大腸菌群 | MPN/100ml | 3.3E+03 | 2.3E+03 | 3.3E+03 | 2.3E+03 | 7.9E+03 | 4.9E+03 |
| 濁度 | 度 | 1.3 | 0.9 | 1.4 | 1.2 | 2.2 | 2.0 |
| T-N | mg/l | 0.70 | 0.38 | 0.59 | 0.57 | 0.91 | 0.77 |
| NO ₂ -N | mg/l | | | | | | |
| NO ₃ -N | mg/l | | | | | | |
| NH ₄ -N | mg/l | | | | | | |
| K-N | mg/l | | | | | | |
| T-P | mg/l | 0.018 | 0.008 | 0.014 | 0.011 | 0.040 | 0.025 |
| PO ₄ -P | mg/l | | | | | | |
| D・T-N | mg/l | | | | | | |
| D・K-N | mg/l | | | | | | |
| D・T-P | mg/l | | | | | | |
| D・PO ₄ -P | mg/l | | | | | | |
| クロロフィル a | μg/l | | | | | | |
| Cd | mg/l | | | | | | |
| CN | mg/l | | | | | | |
| 有機リン | mg/l | | | | | | |
| Pb | mg/l | | | | | | |
| Cr(VI) | mg/l | | | | | | |
| As | mg/l | | | | | | |
| T-Hg | mg/l | | | | | | |
| (R-Hg) | mg/l | | | | | | |
| PCB | mg/l | | | | | | |

水質調査業務 分析結果表

平成6年1月12日

| 項目 | 地点名 単位 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|----------------------|-----------|---------|---------|---------|---------|---------|---------|
| 採水時刻 | 時:分 | 10:35 | 10:25 | 10:12 | 10:48 | 10:56 | 11:08 |
| 天候 | — | 曇 | 曇 | 曇 | 曇 | 曇 | 曇 |
| 気温 | ℃ | 6.7 | 6.0 | 6.8 | 9.0 | 8.8 | 8.9 |
| 水温 | ℃ | 4.3 | 3.9 | 4.0 | 4.0 | 4.4 | 4.2 |
| 水深 | m | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 |
| 水位 | cm | | | 83 | | | |
| pH | — | 7.6 | 7.6 | 7.5 | 7.5 | 7.3 | 7.5 |
| COD | mg/l | 1.1 | 1.1 | 1.3 | 1.2 | 2.2 | 1.4 |
| BOD | mg/l | 0.4 | 0.5 | 0.6 | 0.7 | 1.3 | 0.5 |
| SS | mg/l | 1.0 | 0.3 | 1.4 | 0.5 | 1.6 | 0.6 |
| DO | mg/l | 12.4 | 12.7 | 12.5 | 13.0 | 12.4 | 13.4 |
| 大腸菌群 | MPN/100ml | 7.9E+03 | 2.3E+02 | 7.9E+02 | 3.3E+02 | 4.9E+03 | 1.7E+03 |
| 濁度 | 度 | 0.6 | 0.4 | 0.6 | 0.4 | 1.4 | 0.9 |
| T-N | mg/l | 0.57 | 0.31 | 0.52 | 0.47 | 0.96 | 0.68 |
| NO ₂ -N | mg/l | | | | | | |
| NO ₃ -N | mg/l | | | | | | |
| NH ₄ -N | mg/l | | | | | | |
| K-N | mg/l | | | | | | |
| T-P | mg/l | 0.010 | 0.005 | 0.009 | 0.006 | 0.044 | 0.019 |
| PO ₄ -P | mg/l | | | | | | |
| D・T-N | mg/l | | | | | | |
| D・K-N | mg/l | | | | | | |
| D・T-P | mg/l | | | | | | |
| D・PO ₄ -P | mg/l | | | | | | |
| クロロフィル a | μg/l | | | | | | |
| Cd | mg/l | | | | | | |
| CN | mg/l | | | | | | |
| 有機リン | mg/l | | | | | | |
| Pb | mg/l | | | | | | |
| Cr(VI) | mg/l | | | | | | |
| As | mg/l | | | | | | |
| T-Hg | mg/l | | | | | | |
| (R-Hg) | mg/l | | | | | | |
| PCB | mg/l | | | | | | |

水質調査業務 分析結果表

平成6年2月2日

| 項目 | 地点名 単位 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|----------------------|-----------|---------|---------|---------|---------|---------|---------|
| 採水時刻 | 時:分 | 10:38 | 10:29 | 10:20 | 10:55 | 11:01 | 11:08 |
| 天候 | — | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| 気温 | ℃ | 4.1 | 3.2 | 3.5 | 5.5 | 5.5 | 5.6 |
| 水温 | ℃ | 3.3 | 3.0 | 3.0 | 3.5 | 4.5 | 4.2 |
| 水深 | m | 0.6 | 0.5 | 0.6 | 0.6 | 0.6 | 0.6 |
| 水位 | cm | | | 84 | | | |
| pH | — | 7.5 | 7.4 | 7.5 | 7.5 | 7.3 | 7.5 |
| COD | mg/l | 1.6 | 1.4 | 1.4 | 1.3 | 2.4 | 1.9 |
| BOD | mg/l | 0.9 | 0.8 | 0.7 | 0.8 | 1.7 | 1.0 |
| SS | mg/l | 1.6 | 0.7 | 1.3 | 1.2 | 3.3 | 1.7 |
| DO | mg/l | 12.0 | 12.1 | 12.1 | 12.2 | 11.9 | 12.4 |
| 大腸菌群 | MPN/100ml | 1.3E+03 | 7.9E+02 | 7.9E+02 | 2.3E+02 | 3.3E+03 | 4.9E+03 |
| 濁度 | 度 | 1.7 | 0.6 | 0.9 | 1.0 | 3.0 | 2.0 |
| T-N | mg/l | 0.69 | 0.44 | 0.59 | 0.58 | 1.02 | 0.79 |
| NO ₂ -N | mg/l | 0.002 | 0.001 | 0.001 | | | |
| NO ₃ -N | mg/l | 0.56 | 0.34 | 0.50 | | | |
| NH ₄ -N | mg/l | 0.01 | 0.01 | 0.01 | | | |
| K-N | mg/l | 0.12 | 0.09 | 0.08 | | | |
| T-P | mg/l | 0.013 | 0.008 | 0.011 | 0.011 | 0.050 | 0.025 |
| PO ₄ -P | mg/l | 0.007 | 0.005 | 0.006 | | | |
| D・T-N | mg/l | 0.60 | 0.42 | 0.57 | | | |
| D・K-N | mg/l | 0.03 | 0.07 | 0.06 | | | |
| D・T-P | mg/l | 0.008 | 0.007 | 0.008 | | | |
| D・PO ₄ -P | mg/l | 0.006 | 0.005 | 0.004 | | | |
| クロロフィル a | μg/l | 1.2 | 1.2 | 1.1 | | | |
| Cd | mg/l | | | | | | |
| CN | mg/l | | | | | | |
| 有機リン | mg/l | | | | | | |
| Pb | mg/l | | | | | | |
| Cr(VI) | mg/l | | | | | | |
| As | mg/l | | | | | | |
| T-Hg | mg/l | | | | | | |
| (R-Hg) | mg/l | | | | | | |
| PCB | mg/l | | | | | | |

水質調査業務 分析結果表

平成6年3月2日

| 項目 | 地点名 単位 | 種生橋 | 安場橋 | 西之沢橋 | 羽根橋 | 後瀬橋 | 比土橋 |
|----------------------|-----------|---------|---------|---------|---------|---------|---------|
| 採水時刻 | 時:分 | 10:53 | 10:32 | 10:21 | 11:07 | 11:13 | 11:21 |
| 天候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 |
| 気温 | ℃ | 4.8 | 4.5 | 4.5 | 6.9 | 7.2 | 7.0 |
| 水温 | ℃ | 4.8 | 4.1 | 4.5 | 5.0 | 5.5 | 5.2 |
| 水深 | m | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.6 |
| 水位 | cm | | | 83 | | | |
| pH | - | 7.7 | 7.5 | 7.5 | 7.6 | 7.5 | 7.5 |
| COD | mg/l | 1.1 | 0.9 | 1.0 | 1.0 | 2.1 | 1.4 |
| BOD | mg/l | 0.4 | 0.5 | 0.5 | 0.4 | 1.6 | 0.7 |
| SS | mg/l | 0.5 | 0.1 | 0.5 | 0.4 | 1.5 | 1.0 |
| DO | mg/l | 11.4 | 11.6 | 11.5 | 11.5 | 11.4 | 11.7 |
| 大腸菌群 | MPN/100ml | 4.9E+03 | 3.3E+02 | 1.3E+03 | 4.9E+02 | 3.3E+03 | 7.9E+02 |
| 濁度 | 度 | 0.8 | 0.6 | 0.7 | 0.7 | 1.9 | 1.1 |
| T-N | mg/l | 0.69 | 0.39 | 0.60 | 0.59 | 1.09 | 0.84 |
| NO ₂ -N | mg/l | | | | | | |
| NO ₃ -N | mg/l | | | | | | |
| NH ₄ -N | mg/l | | | | | | |
| K-N | mg/l | | | | | | |
| T-P | mg/l | 0.021 | 0.011 | 0.015 | 0.016 | 0.049 | 0.033 |
| PO ₄ -P | mg/l | | | | | | |
| D・T-N | mg/l | | | | | | |
| D・K-N | mg/l | | | | | | |
| D・T-P | mg/l | | | | | | |
| D・PO ₄ -P | mg/l | | | | | | |
| クロロフィル a | μg/l | | | | | | |
| Cd | mg/l | | | | | | |
| CN | mg/l | | | | | | |
| 有機リン | mg/l | | | | | | |
| Pb | mg/l | | | | | | |
| Cr(VI) | mg/l | | | | | | |
| As | mg/l | | | | | | |
| T-Hg | mg/l | | | | | | |
| (R-Hg) | mg/l | | | | | | |
| PCB | mg/l | | | | | | |