

水質調査業務 分析結果表

平成6年4月27日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:28	10:37	10:19	10:50	10:56	11:11
天候	-	晴	晴	晴	晴	晴	晴
気温	℃	19.1	20.0	19.0	20.8	20.6	21.2
水温	℃	15.0	14.1	14.8	15.3	16.5	15.8
水深	m	0.3	0.4	0.5	0.5	0.5	0.6
水位	cm			77			
pH	-	7.7	7.5	7.6	7.7	7.4	7.6
COD	mg/l	1.7	1.7	1.6	1.9	3.7	2.7
BOD	mg/l	0.7	0.5	0.5	0.6	2.5	0.9
SS	mg/l	2.8	2.0	1.9	2.5	4.7	2.3
DO	mg/l	10.4	10.3	10.5	10.6	10.4	11.4
大腸菌群	MPN/100ml	3.3E+03	1.3E+03	3.3E+03	1.7E+03	4.9E+04	2.2E+03
濁度	度	1.7	1.2	1.3	1.4	3.5	1.8
T-N	mg/l	0.92	0.66	0.89	0.79	1.30	1.00
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.024	0.017	0.022	0.019	0.118	0.052
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成6年5月25日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:39	10:22	10:10	10:54	11:00	11:09
天候	—	曇	曇	曇	曇	晴	晴
気温	℃	21.3	21.3	21.2	23.0	24.5	24.0
水温	℃	17.1	18.2	17.9	18.5	19.0	18.8
水深	m	0.3	0.2	0.3	0.3	0.4	0.4
水位	cm			78			
pH	—	8.1	7.3	7.6	7.5	7.4	7.7
COD	mg/l	1.8	1.9	2.0	2.3	3.7	3.3
BOD	mg/l	0.2	0.2	0.4	0.6	1.6	0.7
SS	mg/l	1.5	1.6	2.0	4.3	5.0	2.4
DO	mg/l	9.6	9.2	9.6	9.3	10.0	10.3
大腸菌群	MPN/100ml	3.3E+03	1.4E+03	7.9E+03	2.3E+03	1.3E+05	3.3E+03
濁度	度	0.6	0.8	0.7	1.3	2.6	1.4
T-N	mg/l	0.47	0.40	0.55	0.44	1.33	0.78
NO ₂ -N	mg/l	0.005	0.001	0.002			
NO ₃ -N	mg/l	0.36	0.28	0.34			
NH ₄ -N	mg/l	0.01	0.01	0.01			
K-N	mg/l	0.11	0.12	0.21			
T-P	mg/l	0.012	0.016	0.014	0.020	0.104	0.061
PO ₄ -P	mg/l	0.007	0.014	0.009			
D・T-N	mg/l	0.43	0.40	0.50			
D・K-N	mg/l	0.07	0.12	0.16			
D・T-P	mg/l	0.008	0.015	0.011			
D・PO ₄ -P	mg/l	0.004	0.009	0.005			
クロロフィル a	μg/l	3.0	4.4	2.4			
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成6年6月15日

地点名		種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比士橋
項目	単位						
採水時刻	時:分	10:28	10:19	10:10	10:41	10:48	10:57
天候	—	晴	晴	晴	晴	晴	晴
気温	℃	25.9	24.3	24.0	27.0	26.7	26.6
水温	℃	20.3	20.3	19.8	21.8	21.9	21.8
水深	m	0.3	0.3	0.4	0.3	0.5	0.5
水位	cm			80			
pH	—	7.9	7.5	7.6	7.6	7.3	7.6
COD	mg/l	2.3	2.1	2.3	2.3	3.8	3.2
BOD	mg/l	0.9	0.6	0.9	0.8	1.7	1.0
SS	mg/l	3.2	3.1	3.9	3.5	5.2	3.4
DO	mg/l	8.9	9.1	8.7	9.0	8.9	9.4
大腸菌群	MPN/100ml	4.9E+03	7.9E+04	1.1E+04	1.1E+04	7.9E+04	1.7E+04
濁度	度	1.5	1.7	1.8	1.8	3.1	2.2
T-N	mg/l	0.58	0.36	0.50	0.49	0.97	0.76
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.024	0.021	0.025	0.025	0.090	0.070
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成6年7月6日

項目	地点名	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
	単位						
採水時刻	時:分	10:40	10:31	10:20	10:54	11:02	11:10
天候	-	曇	曇	曇	晴	晴	晴
気温	℃	27.8	27.2	28.0	30.6	30.8	30.8
水温	℃	23.0	23.2	23.2	25.0	24.8	25.0
水深	m	0.3	0.3	0.4	0.4	0.5	0.5
水位	cm			76			
pH	-	7.7	7.3	7.5	7.5	7.2	7.4
COD	mg/l	2.0	2.0	2.3	2.5	3.5	3.0
BOD	mg/l	0.7	0.9	1.1	0.9	1.8	1.1
SS	mg/l	2.4	2.5	2.9	3.6	5.3	3.6
DO	mg/l	8.8	7.9	8.1	8.4	9.1	9.5
大腸菌群	MPN/100ml	4.9E+04	7.9E+03	2.2E+04	3.3E+04	3.3E+04	4.9E+04
濁度	度	1.0	1.3	1.4	1.9	2.5	2.0
T-N	mg/l	0.55	0.44	0.67	0.50	1.04	0.72
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.020	0.018	0.022	0.027	0.091	0.071
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成6年8月3日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	11:04	10:55	10:44	11:18	11:26	11:34
天候	-	晴	晴	晴	晴	晴	晴
気温	℃	32.4	32.1	31.3	34.0	34.0	34.0
水温	℃	26.8	26.9	26.7	27.9	27.5	28.5
水深	m	0.3	0.3	0.4	0.4	0.5	0.5
水位	cm			75			
pH	-	8.2	7.6	7.5	7.5	7.3	7.6
COD	mg/l	1.9	2.4	2.4	2.4	3.7	3.3
BOD	mg/l	0.7	1.0	1.2	1.2	1.6	1.1
SS	mg/l	2.7	5.5	4.1	6.3	7.7	6.7
DO	mg/l	8.6	8.6	7.9	8.1	10.2	9.1
大腸菌群	MPN/100ml	2.3E+04	7.9E+03	1.7E+04	4.9E+04	4.9E+04	4.9E+04
濁度	度	0.9	2.0	1.4	1.9	3.1	2.5
T-N	mg/l	0.39	0.30	0.42	0.34	0.90	0.59
NO ₂ -N	mg/l	0.002	0.004	0.001			
NO ₃ -N	mg/l	0.27	0.12	0.20			
NH ₄ -N	mg/l	0.01	0.02	0.01			
K-N	mg/l	0.11	0.16	0.21			
T-P	mg/l	0.015	0.019	0.017	0.022	0.098	0.078
PO ₄ -P	mg/l	0.015	0.016	0.014			
D・T-N	mg/l	0.38	0.27	0.37			
D・K-N	mg/l	0.10	0.13	0.16			
D・T-P	mg/l	0.010	0.010	0.009			
D・PO ₄ -P	mg/l	0.009	0.006	0.007			
クロロフィル a	μg/l	2.1	4.5	2.5			
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成6年9月7日

項目	地点名	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比士橋
	単位						
採水時刻	時:分	10:38	10:27	10:13	10:52	10:58	11:06
天候	—	晴	晴	晴	晴	晴	晴
気温	℃	32.2	31.0	31.1	30.8	31.7	32.2
水温	℃	23.4	24.5	24.0	24.9	24.8	24.9
水深	m	0.2	0.2	0.3	0.4	0.4	0.4
水位	cm			75			
pH	—	8.0	7.7	7.5	7.5	7.3	7.7
COD	mg/l	1.8	2.9	2.1	1.9	3.2	2.4
BOD	mg/l	0.5	1.2	1.0	0.5	1.4	0.6
SS	mg/l	1.8	3.6	2.3	3.1	7.1	4.0
DO	mg/l	9.0	9.0	8.6	8.6	9.4	9.4
大腸菌群	MPN/100ml	1.7E+04	7.9E+03	1.3E+04	2.3E+04	2.3E+04	7.9E+03
濁度	度	1.0	1.9	1.3	1.6	3.0	2.2
T-N	mg/l	0.33	0.30	0.27	0.21	0.80	0.44
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.014	0.013	0.013	0.014	0.089	0.044
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l			ND			
CN	mg/l			ND			
有機リン	mg/l			ND			
Pb	mg/l			ND			
Cr(VI)	mg/l			ND			
As	mg/l			ND			
T-Hg	mg/l			ND			
(R-Hg)	mg/l			(ND)			
PCB	mg/l			ND			

水質調査業務 分析結果表

平成6年10月5日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:28	10:19	10:09	10:40	10:48	10:59
天候	-	曇	曇	曇	曇	曇	曇
気温	℃	22.0	21.5	21.3	23.1	23.6	24.0
水温	℃	17.5	17.0	17.5	18.0	18.2	18.2
水深	m	0.6	0.5	0.7	0.5	0.7	0.7
水位	cm			100			
pH	-	7.6	7.4	7.5	7.5	7.2	7.3
COD	mg/l	2.2	1.5	1.7	1.8	2.3	1.8
BOD	mg/l	0.4	0.4	0.4	0.3	0.5	0.4
SS	mg/l	7.0	1.0	2.7	2.6	7.2	3.8
DO	mg/l	9.1	9.0	9.3	9.2	8.8	9.3
大腸菌群	MPN/100ml	4.9E+04	7.9E+03	3.3E+04	4.9E+04	1.3E+05	3.3E+04
濁度	度	4.3	0.8	1.6	1.4	4.1	2.4
T-N	mg/l	1.15	0.61	0.93	0.96	1.24	1.11
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.027	0.014	0.018	0.018	0.036	0.027
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成6年11月2日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:23	10:15	10:02	10:36	10:44	10:51
天候	—	晴	晴	晴	晴	晴	晴
気温	℃	17.6	17.3	17.5	18.7	20.0	19.8
水温	℃	13.4	13.2	13.2	13.8	14.0	13.8
水深	m	0.3	0.3	0.5	0.2	0.5	0.6
水位	cm			86			
pH	—	7.8	7.7	7.7	7.8	7.4	7.7
COD	mg/l	1.5	1.3	1.4	1.4	2.6	1.5
BOD	mg/l	1.0	0.8	0.8	0.8	1.5	1.0
SS	mg/l	1.8	0.7	1.3	1.2	14.8	1.6
DO	mg/l	10.6	10.6	10.5	10.5	10.7	11.0
大腸菌群	MPN/100ml	1.1E+04	3.3E+03	1.3E+04	7.0E+03	2.3E+04	7.9E+03
濁度	度	0.9	0.5	0.7	0.6	7.6	1.1
T-N	mg/l	0.66	0.30	0.54	0.50	0.96	0.71
NO ₂ -N	mg/l	0.003	0.001	0.001			
NO ₃ -N	mg/l	0.58	0.23	0.46			
NH ₄ -N	mg/l	0.01	0.01	0.01			
K-N	mg/l	0.08	0.07	0.08			
T-P	mg/l	0.011	0.004	0.010	0.008	0.053	0.021
PO ₄ -P	mg/l	0.006	0.003	0.008			
D・T-N	mg/l	0.62	0.28	0.52			
D・K-N	mg/l	0.04	0.05	0.06			
D・T-P	mg/l	0.008	0.003	0.007			
D・PO ₄ -P	mg/l	0.004	0.002	0.005			
クロロフィル a	μg/l	3.7	2.5	2.8			
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成6年12月7日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比士橋
採水時刻	時:分	10:43	10:25	10:16	10:57	11:03	11:11
天候	-	晴	晴	晴	曇	曇	曇
気温	℃	9.0	8.5	8.4	9.6	9.7	9.7
水温	℃	5.9	6.1	5.9	6.0	7.0	6.0
水深	m	0.4	0.2	0.4	0.4	0.3	0.5
水位	cm			78			
pH	-	7.6	7.4	7.4	7.6	7.2	7.4
COD	mg/l	1.5	1.3	1.4	1.2	1.9	1.4
BOD	mg/l	0.8	0.4	0.7	0.6	1.5	0.7
SS	mg/l	1.1	0.6	0.8	0.4	2.2	0.7
DO	mg/l	12.2	12.3	12.5	12.7	12.2	13.0
大腸菌群	MPN/100ml	3.3E+03	1.3E+03	1.3E+03	1.7E+03	2.3E+04	3.3E+03
濁度	度	0.8	0.4	0.5	0.6	1.8	0.9
T-N	mg/l	0.72	0.35	0.64	0.53	0.95	0.76
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.014	0.006	0.008	0.006	0.036	0.019
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成7年1月11日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:45	10:29	10:20	10:57	11:02	11:10
天候	—	晴	晴	晴	晴	晴	晴
気温	℃	5.6	4.9	5.2	6.1	6.1	6.2
水温	℃	4.0	4.2	4.2	4.2	5.0	4.5
水深	m	0.3	0.3	0.4	0.4	0.4	0.5
水位	cm			79			
pH	—	7.3	7.2	7.3	7.3	7.2	7.2
COD	mg/l	1.3	1.1	1.1	1.6	2.3	1.5
BOD	mg/l	0.8	0.3	0.2	0.5	1.8	0.6
SS	mg/l	1.3	0.6	0.7	1.0	3.5	1.4
DO	mg/l	12.9	13.0	13.1	13.4	12.7	13.2
大腸菌群	MPN/100ml	7.9E+03	2.3E+02	3.3E+03	3.3E+03	1.4E+04	1.3E+03
濁度	度	1.0	0.7	0.5	0.7	2.8	1.1
T-N	mg/l	0.82	0.46	0.64	0.65	1.34	0.93
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.017	0.009	0.009	0.009	0.058	0.023
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成7年2月1日

項目	地点名	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
	単位						
採水時刻	時:分	10:44	10:30	10:16	10:59	11:06	11:14
天候	-	雪	雪	曇	曇	曇	曇
気温	℃	2.8	1.0	1.5	4.9	5.2	3.8
水温	℃	2.7	2.2	2.5	3.0	3.6	3.1
水深	m	0.3	0.2	0.4	0.2	0.3	0.4
水位	cm			78			
pH	-	7.5	7.4	7.6	7.6	7.3	7.5
COD	mg/l	1.2	1.1	1.1	1.1	2.1	1.8
BOD	mg/l	0.3	0.4	0.2	0.3	1.3	0.7
SS	mg/l	0.9	0.5	0.8	0.4	1.6	1.0
DO	mg/l	13.7	13.8	13.7	14.0	13.7	14.6
大腸菌群	MPN/100ml	1.3E+03	2.2E+02	1.1E+03	4.9E+02	1.4E+04	2.3E+03
濁度	度	1.1	0.4	0.6	0.6	1.7	1.1
T-N	mg/l	0.75	0.41	0.63	0.58	1.25	0.94
NO ₂ -N	mg/l	0.003	0.002	0.003			
NO ₃ -N	mg/l	0.63	0.33	0.54			
NH ₄ -N	mg/l	0.01	0.01	0.01			
K-N	mg/l	0.12	0.08	0.09			
T-P	mg/l	0.016	0.008	0.011	0.007	0.051	0.020
PO ₄ -P	mg/l	0.011	0.006	0.007			
D・T-N	mg/l	0.68	0.38	0.58			
D・K-N	mg/l	0.05	0.05	0.04			
D・T-P	mg/l	0.012	0.008	0.010			
D・PO ₄ -P	mg/l	0.005	0.000	0.002			
クロロフィル a	μg/l	0.5	0.5	0.5			
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成7年3月1日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:23	10:15	10:04	10:35	10:41	10:49
天候	—	曇	曇	曇	曇	曇	曇
気温	℃	5.9	5.5	5.3	6.9	7.3	7.1
水温	℃	5.3	5.0	5.3	5.3	6.0	5.7
水深	m	0.4	0.3	0.5	0.3	0.4	0.4
水位	cm			76			
pH	—	7.6	7.5	7.5	7.5	7.3	7.5
COD	mg/l	1.5	1.3	1.6	1.7	3.1	2.2
BOD	mg/l	0.7	0.4	0.7	0.8	2.3	0.9
SS	mg/l	2.9	0.8	2.2	2.3	4.9	2.6
DO	mg/l	12.4	12.1	12.3	13.0	12.4	13.2
大腸菌群	MPN/100ml	3.3E+03	4.9E+02	2.3E+03	3.3E+03	3.3E+04	3.3E+03
濁度	度	1.6	0.6	1.4	1.8	3.8	2.8
T-N	mg/l	0.73	0.34	0.61	0.60	1.35	0.87
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.018	0.010	0.015	0.015	0.078	0.036
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						