

水質調査業務 分析結果表

平成7年4月5日

地点名		種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
項目	単位						
採水時刻	時:分	10:18	10:10	9:59	10:30	10:36	10:43
天候	—	晴	晴	晴	晴	晴	晴
気温	℃	14.2	14.0	14.1	14.6	14.8	15.0
水温	℃	7.6	7.3	7.5	8.0	8.7	8.2
水深	m	0.3	0.4	0.5	0.3	0.5	0.5
水位	cm			78			
pH	—	7.7	7.5	7.6	7.6	7.4	7.6
COD	mg/l	1.2	1.3	1.3	1.2	2.7	1.9
BOD	mg/l	0.4	0.3	0.5	0.4	1.8	0.6
SS	mg/l	1.5	1.1	1.1	1.2	3.0	1.7
DO	mg/l	12.2	12.0	12.1	12.1	12.1	12.7
大腸菌群	MPN/100ml	2.8E+03	4.9E+02	2.3E+03	2.3E+03	3.3E+03	1.3E+03
濁度	度	1.0	0.8	1.1	1.3	2.7	1.6
T-N	mg/l	0.76	0.41	0.62	0.56	1.40	0.86
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.012	0.008	0.010	0.009	0.066	0.027
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成7年5月10日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	11:19	11:07	10:54	11:34	11:44	11:58
天候	—	晴	晴	晴	晴	晴	晴
気温	℃	25.0	24.1	24.3	26.0	26.1	26.2
水温	℃	18.1	16.6	17.0	17.8	19.5	18.8
水深	m	0.5	0.4	0.6	0.5	0.5	0.5
水位	cm			80			
pH	—	7.9	7.5	7.7	7.7	7.6	7.8
COD	mg/l	1.7	1.6	1.7	2.0	3.5	2.5
BOD	mg/l	0.5	0.6	0.7	0.4	1.4	0.9
SS	mg/l	1.9	1.6	1.9	4.0	7.8	3.4
DO	mg/l	9.5	9.9	9.6	9.7	10.7	10.7
大腸菌群	MPN/100ml	3.3E+03	7.0E+02	2.3E+03	3.3E+03	1.3E+04	4.9E+03
濁度	度	1.4	1.3	1.5	3.0	5.0	3.1
T-N	mg/l	0.94	0.60	0.84	0.80	1.63	1.15
NO ₂ -N	mg/l	0.003	0.002	0.002			
NO ₃ -N	mg/l	0.69	0.47	0.65			
NH ₄ -N	mg/l	0.05	0.01	0.01			
K-N	mg/l	0.20	0.12	0.18			
T-P	mg/l	0.019	0.016	0.019	0.026	0.088	0.049
PO ₄ -P	mg/l	0.012	0.008	0.012			
D・T-N	mg/l	0.80	0.57	0.82			
D・K-N	mg/l	0.06	0.09	0.16			
D・T-P	mg/l	0.018	0.012	0.016			
D・PO ₄ -P	mg/l	0.007	0.003	0.005			
クロロフィル a	μg/l	1.9	1.3	1.6			
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成7年6月7日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:31	10:23	10:14	10:44	10:51	11:00
天候	—	晴	晴	晴	晴	晴	晴
気温	℃	21.1	20.6	20.4	22.9	22.9	23.2
水温	℃	16.2	15.6	16.1	17.2	17.7	17.7
水深	m	0.5	0.4	0.5	0.3	0.4	0.4
水位	cm			80			
pH	—	7.8	7.6	7.8	7.8	7.5	7.7
COD	mg/l	1.9	1.6	2.0	1.9	2.6	2.4
BOD	mg/l	0.8	0.5	0.7	0.9	1.2	1.0
SS	mg/l	2.5	1.4	2.8	2.3	4.1	2.2
DO	mg/l	9.6	10.1	9.9	10.2	10.0	10.6
大腸菌群	MPN/100ml	1.1E+04	7.9E+02	4.9E+03	2.8E+03	2.2E+04	1.1E+04
濁度	度	1.9	1.1	1.6	1.6	2.5	2.0
T-N	mg/l	0.58	0.29	0.44	0.47	0.99	0.71
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.016	0.007	0.012	0.011	0.053	0.032
P O ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・P O ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成7年7月11日

項目	地点名	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
	単位						
採水時刻	時:分	10:26	10:19	10:10	10:40	10:46	10:53
天候	-	晴	晴	晴	晴	晴	晴
気温	℃	32.1	31.0	29.8	33.2	33.6	33.0
水温	℃	19.8	20.0	19.8	21.1	20.8	20.0
水深	m	0.6	0.4	0.7	0.6	0.7	0.7
水位	cm			100			
pH	-	7.7	7.5	7.5	7.6	7.3	7.4
COD	mg/l	2.5	1.9	2.1	2.2	3.0	2.6
BOD	mg/l	0.9	0.7	0.6	1.0	1.2	0.8
SS	mg/l	6.8	2.9	5.0	5.4	5.9	6.8
DO	mg/l	9.0	9.0	8.8	8.9	8.9	9.2
大腸菌群	MPN/100ml	7.9E+03	4.9E+03	1.7E+04	4.9E+03	3.3E+04	1.1E+04
濁度	度	3.7	1.9	3.1	3.2	4.1	4.2
T-N	mg/l	0.95	0.49	0.76	0.80	1.06	0.91
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.032	0.019	0.026	0.028	0.050	0.043
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成7年8月2日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:22	10:13	10:04	10:36	10:40	10:52
天候	—	晴	晴	晴	晴	晴	晴
気温	℃	31.5	30.2	31.7	31.0	31.4	30.9
水温	℃	22.8	23.2	22.8	23.9	24.8	24.3
水深	m	0.4	0.2	0.5	0.5	0.5	0.6
水位	cm			91			
pH	—	7.7	7.5	7.6	7.6	7.4	7.6
COD	mg/l	1.8	1.6	1.8	1.7	2.3	2.1
BOD	mg/l	0.7	0.6	0.9	0.7	0.9	0.9
SS	mg/l	3.7	2.7	3.3	2.9	3.7	3.5
DO	mg/l	9.1	8.9	8.6	9.0	9.0	9.2
大腸菌群	MPN/100ml	4.9E+04	3.3E+03	7.9E+03	7.9E+04	2.3E+04	1.1E+04
濁度	度	1.9	1.3	1.8	1.6	2.1	2.0
T-N	mg/l	0.77	0.40	0.63	0.54	0.88	0.73
NO ₂ -N	mg/l	0.002	0.001	0.001			
NO ₃ -N	mg/l	0.60	0.26	0.48			
NH ₄ -N	mg/l	0.01	0.01	0.01			
K-N	mg/l	0.17	0.14	0.15			
T-P	mg/l	0.021	0.015	0.020	0.017	0.062	0.040
PO ₄ -P	mg/l	0.011	0.008	0.011			
D・T-N	mg/l	0.69	0.35	0.57			
D・K-N	mg/l	0.09	0.09	0.09			
D・T-P	mg/l	0.013	0.011	0.014			
D・PO ₄ -P	mg/l	0.006	0.004	0.006			
クロロフィル a	μg/l	2.0	2.3	2.2			
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成7年9月6日

地点名		種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
項目	単位						
採水時刻	時:分	10:31	10:23	10:09	10:45	10:51	10:59
天候	-	晴	晴	晴	晴	晴	晴
気温	℃	24.2	23.9	23.5	24.7	25.2	27.0
水温	℃	19.3	20.0	19.6	19.8	20.6	20.5
水深	m	0.4	0.4	0.6	0.4	0.4	0.5
水位	cm			82			
pH	-	7.8	7.6	7.6	7.6	7.2	7.6
COD	mg/l	1.9	1.8	1.9	1.9	2.8	2.0
BOD	mg/l	0.6	0.7	0.6	0.4	1.0	0.8
SS	mg/l	3.5	2.7	3.3	4.2	5.7	3.9
DO	mg/l	9.4	9.4	9.1	9.4	9.6	9.6
大腸菌群	MPN/100ml	2.3E+04	1.7E+04	1.1E+04	1.1E+04	2.4E+05	3.3E+04
濁度	度	2.0	1.6	2.0	2.1	3.3	2.3
T-N	mg/l	0.78	0.48	0.68	0.70	0.95	0.87
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.023	0.016	0.022	0.023	0.065	0.038
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l			ND			
CN	mg/l			ND			
有機リン	mg/l			ND			
Pb	mg/l			0.001			
Cr(VI)	mg/l			ND			
As	mg/l			ND			
T-Hg	mg/l			ND			
(R-Hg)	mg/l			(ND)			
PCB	mg/l			ND			

水質調査業務 分析結果表

平成7年10月4日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:50	10:41	10:30	11:02	11:09	11:17
天候	—	曇	曇	曇	曇	曇	曇
気温	℃	24.1	23.6	22.8	24.5	23.9	24.0
水温	℃	17.5	16.9	17.3	17.7	18.5	18.5
水深	m	0.4	0.4	0.6	0.4	0.5	0.6
水位	cm			87			
pH	—	7.7	7.6	7.6	7.7	7.2	7.6
COD	mg/l	1.8	1.9	2.0	2.1	2.5	2.0
BOD	mg/l	0.6	0.7	0.8	0.6	1.0	0.8
SS	mg/l	2.8	2.0	2.7	3.0	3.5	2.9
DO	mg/l	9.7	9.6	9.5	9.8	9.5	9.5
大腸菌群	MPN/100ml	7.9E+03	4.6E+03	1.3E+04	1.3E+04	4.6E+04	3.3E+04
濁度	度	1.8	1.4	1.7	1.6	2.1	1.9
T-N	mg/l	0.88	0.57	0.77	0.75	1.11	0.89
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.020	0.014	0.018	0.016	0.057	0.032
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成7年11月1日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:49	10:35	10:29	11:02	11:10	11:18
天候	—	晴	晴	晴	晴	晴	晴
気温	℃	14.0	13.5	13.0	15.1	14.8	14.6
水温	℃	13.0	13.2	13.2	14.1	14.2	14.2
水深	m	0.4	0.3	0.4	0.3	0.4	0.5
水位	cm			78			
pH	—	7.8	7.6	7.7	7.8	7.4	7.8
COD	mg/l	1.7	1.5	1.7	1.4	2.5	1.8
BOD	mg/l	0.5	0.5	0.8	0.5	1.2	0.5
SS	mg/l	5.4	1.1	5.5	1.8	3.1	1.5
DO	mg/l	10.3	10.4	10.1	10.7	10.8	10.8
大腸菌群	MPN/100ml	3.3E+03	4.6E+02	3.3E+03	1.7E+03	1.3E+03	4.9E+03
濁度	度	4.7	0.7	5.4	1.3	2.0	1.4
T-N	mg/l	0.76	0.42	0.70	0.59	1.27	0.83
NO ₂ -N	mg/l	0.002	0.001	0.001			
NO ₃ -N	mg/l	0.57	0.24	0.45			
NH ₄ -N	mg/l	0.02	0.02	0.02			
K-N	mg/l	0.19	0.18	0.25			
T-P	mg/l	0.024	0.009	0.022	0.013	0.077	0.031
PO ₄ -P	mg/l	0.016	0.008	0.014			
D・T-N	mg/l	0.74	0.39	0.60			
D・K-N	mg/l	0.17	0.15	0.15			
D・T-P	mg/l	0.014	0.006	0.009			
D・PO ₄ -P	mg/l	0.010	0.003	0.007			
クロロフィル a	μg/l	1.8	1.8	1.9			
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成7年12月6日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	11:01	10:53	10:45	11:13	11:19	11:27
天候	—	曇	曇	曇	曇	曇	曇
気温	℃	6.1	5.0	5.8	6.0	6.0	6.0
水温	℃	5.5	5.3	5.5	5.5	6.0	5.8
水深	m	0.3	0.2	0.3	0.2	0.3	0.4
水位	cm			76			
pH	—	7.5	7.3	7.4	7.7	7.0	7.8
COD	mg/l	1.1	1.1	1.2	1.1	2.1	1.6
BOD	mg/l	0.4	0.4	0.5	0.3	1.2	0.5
SS	mg/l	1.4	0.9	1.4	1.2	2.1	1.7
DO	mg/l	12.4	12.7	12.4	13.0	12.7	13.6
大腸菌群	MPN/100ml	4.9E+03	2.3E+02	2.3E+03	1.1E+03	3.3E+03	2.3E+03
濁度	度	1.0	0.4	1.0	0.8	1.7	1.8
T-N	mg/l	0.77	0.33	0.54	0.48	1.18	0.74
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.010	0.004	0.009	0.005	0.066	0.024
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成8年1月10日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:31	10:22	10:13	10:51	10:56	11:04
天候	—	晴	晴	晴	晴	晴	晴
気温	℃	2.7	1.8	2.0	3.8	4.1	4.6
水温	℃	2.0	1.9	2.0	2.5	2.8	2.6
水深	m	0.3	0.2	0.3	0.3	0.4	0.4
水位	cm			74			
pH	—	7.6	7.4	7.4	7.5	7.1	7.6
COD	mg/l	1.3	1.4	1.2	1.3	2.8	2.0
BOD	mg/l	0.5	0.5	0.2	0.3	1.7	0.5
SS	mg/l	1.0	0.5	1.0	1.3	1.9	0.8
DO	mg/l	13.8	13.8	13.6	14.1	14.0	14.9
大腸菌群	MPN/100ml	1.7E+03	7.9E+01	4.9E+02	4.9E+02	1.3E+04	1.7E+03
濁度	度	1.4	0.5	0.9	1.0	2.2	1.2
T-N	mg/l	0.72	0.50	0.67	0.63	1.58	0.99
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.010	0.004	0.006	0.005	0.075	0.019
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成8年2月7日

項目	地点名	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
	単位						
採水時刻	時:分	10:27	10:18	10:09	10:41	10:47	10:54
天候	—	曇	曇	曇	曇	曇	曇
気温	℃	2.3	1.0	1.5	3.3	3.0	3.2
水温	℃	1.3	1.0	1.3	1.6	2.4	1.8
水深	m	0.4	0.3	0.4	0.2	0.3	0.4
水位	cm			72			
pH	—	7.4	7.3	7.3	7.4	7.2	7.6
COD	mg/l	0.9	0.8	1.0	1.1	3.1	1.8
BOD	mg/l	0.5	0.3	0.4	0.4	2.8	0.7
SS	mg/l	1.1	0.7	0.9	0.9	3.3	1.5
DO	mg/l	14.3	14.4	14.0	14.6	14.7	15.4
大腸菌群	MPN/100ml	3.3E+03	7.9E+01	7.9E+03	4.9E+02	1.3E+04	4.9E+02
濁度	度	0.5	0.2	0.4	0.4	3.5	1.3
T-N	mg/l	0.75	0.42	0.66	0.60	1.79	1.00
NO ₂ -N	mg/l	0.004	0.001	0.003			
NO ₃ -N	mg/l	0.58	0.29	0.51			
NH ₄ -N	mg/l	0.02	0.02	0.02			
K-N	mg/l	0.17	0.13	0.15			
T-P	mg/l	0.010	0.005	0.008	0.005	0.098	0.023
PO ₄ -P	mg/l	0.006	0.003	0.008			
D・T-N	mg/l	0.73	0.39	0.66			
D・K-N	mg/l	0.15	0.10	0.15			
D・T-P	mg/l	0.007	0.004	0.007			
D・PO ₄ -P	mg/l	0.006	0.002	0.007			
クロロフィル a	μg/l	2.3	0.9	1.0			
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						

水質調査業務 分析結果表

平成8年3月6日

項目	地点名 単位	種生橋	安場橋	西之沢橋	羽根橋	後瀬橋	比土橋
採水時刻	時:分	10:49	10:41	10:32	11:00	11:08	11:17
天候	—	晴	晴	晴	晴	晴	晴
気温	℃	3.9	3.6	3.5	5.8	5.6	5.6
水温	℃	3.2	2.5	2.8	3.8	5.0	4.1
水深	m	0.3	0.2	0.4	0.2	0.2	0.3
水位	cm			75			
pH	—	7.5	7.3	7.4	7.5	7.1	7.5
COD	mg/l	1.7	1.4	1.5	1.5	3.0	2.1
BOD	mg/l	0.7	0.8	0.9	0.7	2.2	1.2
SS	mg/l	1.5	1.5	1.7	1.4	2.2	1.5
DO	mg/l	13.2	13.3	13.3	13.6	13.5	14.0
大腸菌群	MPN/100ml	4.9E+02	1.7E+02	3.3E+03	3.3E+02	7.0E+03	4.9E+02
濁度	度	1.1	1.0	1.0	1.0	2.3	1.4
T-N	mg/l	0.85	0.61	0.78	0.75	1.50	1.10
NO ₂ -N	mg/l						
NO ₃ -N	mg/l						
NH ₄ -N	mg/l						
K-N	mg/l						
T-P	mg/l	0.014	0.007	0.011	0.008	0.059	0.029
PO ₄ -P	mg/l						
D・T-N	mg/l						
D・K-N	mg/l						
D・T-P	mg/l						
D・PO ₄ -P	mg/l						
クロロフィル a	μg/l						
Cd	mg/l						
CN	mg/l						
有機リン	mg/l						
Pb	mg/l						
Cr(VI)	mg/l						
As	mg/l						
T-Hg	mg/l						
(R-Hg)	mg/l						
PCB	mg/l						