

# 2025年(令和7年) 1月 日吉ダム諸量

| 日付 | O時貯水位<br>[El.m] | O時貯水量<br>[10 <sup>3</sup> m <sup>3</sup> ] | O時貯水率<br>[%] | 平均流入量<br>[m <sup>3</sup> /s] | 平均放流量<br>[m <sup>3</sup> /s] | 流域平均雨量<br>[mm] |
|----|-----------------|--------------------------------------------|--------------|------------------------------|------------------------------|----------------|
| 1  | 187.89          | 29909                                      | 83.1         | 5.73                         | 6.29                         | 0.0            |
| 2  | 187.86          | 29861                                      | 82.9         | 5.21                         | 6.53                         | 0.0            |
| 3  | 187.79          | 29747                                      | 82.6         | 4.92                         | 6.62                         | 0.2            |
| 4  | 187.70          | 29600                                      | 82.2         | 4.93                         | 6.61                         | 4.9            |
| 5  | 187.61          | 29455                                      | 81.8         | 4.73                         | 6.61                         | 0.0            |
| 6  | 187.51          | 29293                                      | 81.4         | 5.63                         | 6.57                         | 12.4           |
| 7  | 187.46          | 29212                                      | 81.1         | 7.63                         | 5.75                         | 0.0            |
| 8  | 187.56          | 29374                                      | 81.6         | 6.54                         | 5.80                         | 0.0            |
| 9  | 187.60          | 29438                                      | 81.8         | 5.92                         | 6.11                         | 0.0            |
| 10 | 187.59          | 29422                                      | 81.7         | 5.62                         | 6.36                         | 5.6            |
| 11 | 187.55          | 29358                                      | 81.6         | 5.28                         | 6.22                         | 0.7            |
| 12 | 187.50          | 29277                                      | 81.3         | 4.92                         | 6.23                         | 0.0            |
| 13 | 187.43          | 29164                                      | 81.0         | 4.74                         | 6.22                         | 0.0            |
| 14 | 187.35          | 29036                                      | 80.7         | 4.34                         | 6.20                         | 0.0            |
| 15 | 187.25          | 28875                                      | 80.2         | 4.18                         | 6.21                         | 0.8            |
| 16 | 187.14          | 28700                                      | 79.7         | 4.18                         | 6.39                         | 0.3            |
| 17 | 187.02          | 28509                                      | 79.2         | 4.11                         | 6.51                         | 2.4            |
| 18 | 186.89          | 28302                                      | 78.6         | 4.16                         | 6.35                         | 0.0            |
| 19 | 186.77          | 28113                                      | 78.1         | 3.89                         | 6.63                         | 0.0            |
| 20 | 186.62          | 27876                                      | 77.4         | 3.93                         | 6.46                         | 0.1            |
| 21 | 186.48          | 27657                                      | 76.8         | 4.06                         | 6.77                         | 0.0            |
| 22 | 186.33          | 27423                                      | 76.2         | 4.11                         | 6.82                         | 0.0            |
| 23 | 186.18          | 27189                                      | 75.5         | 4.11                         | 6.98                         | 0.0            |
| 24 | 186.02          | 26941                                      | 74.8         | 3.75                         | 6.97                         | 0.0            |
| 25 | 185.84          | 26663                                      | 74.1         | 4.16                         | 6.82                         | 1.2            |
| 26 | 185.69          | 26433                                      | 73.4         | 4.34                         | 6.28                         | 2.3            |
| 27 | 185.58          | 26265                                      | 73.0         | 4.04                         | 5.98                         | 0.0            |
| 28 | 185.47          | 26097                                      | 72.5         | 3.65                         | 5.94                         | 0.0            |
| 29 | 185.34          | 25899                                      | 71.9         | 3.74                         | 6.21                         | 0.0            |
| 30 | 185.20          | 25686                                      | 71.4         | 3.50                         | 6.65                         | 0.3            |
| 31 | 185.02          | 25414                                      | 70.6         | 3.75                         | 6.71                         | 0.1            |

※掲載されているデータは速報値になります。

# 2025年(令和7年) 2月 日吉ダム諸量

| 日付 | O時貯水位<br>[El.m] | O時貯水量<br>[10 <sup>3</sup> m <sup>3</sup> ] | O時貯水率<br>[%] | 平均流入量<br>[m <sup>3</sup> /s] | 平均放流量<br>[m <sup>3</sup> /s] | 流域平均雨量<br>[mm] |
|----|-----------------|--------------------------------------------|--------------|------------------------------|------------------------------|----------------|
| 1  | 184.85          | 25158                                      | 69.9         | 3.47                         | 6.61                         | 2.3            |
| 2  | 184.67          | 24887                                      | 69.1         | 3.51                         | 6.28                         | 0.2            |
| 3  | 184.51          | 24648                                      | 68.5         | 3.43                         | 6.18                         | 1.4            |
| 4  | 184.35          | 24410                                      | 67.8         | 3.59                         | 6.52                         | 0              |
| 5  | 184.18          | 24157                                      | 67.1         | 3.35                         | 6.95                         | 0.4            |
| 6  | 183.97          | 23846                                      | 66.2         | 3.4                          | 6.81                         | 0              |
| 7  | 183.77          | 23551                                      | 65.4         | 3.23                         | 7.32                         | 1              |
| 8  | 183.53          | 23198                                      | 64.4         | 4.02                         | 7.24                         | 16.1           |
| 9  | 183.34          | 22920                                      | 63.7         | 3.51                         | 6.55                         | 5.1            |
| 10 | 183.16          | 22657                                      | 62.9         | 3.59                         | 5.94                         | 0              |
| 11 | 183.02          | 22454                                      | 62.4         | 3.22                         | 5.92                         | 2.5            |
| 12 | 182.86          | 22221                                      | 61.7         | 3.22                         | 5.91                         | 0.6            |
| 13 | 182.70          | 21989                                      | 61.1         | 4.66                         | 5.16                         | 3.3            |
| 14 | 182.67          | 21946                                      | 61.0         | 4.73                         | 3.72                         | 0              |
| 15 | 182.73          | 22033                                      | 61.2         | 4.28                         | 4.45                         | 0              |
| 16 | 182.72          | 22018                                      | 61.2         | 5.02                         | 4.51                         | 1.4            |
| 17 | 182.75          | 22062                                      | 61.3         | 6.12                         | 4.62                         | 5.7            |
| 18 | 182.84          | 22192                                      | 61.6         | 6.33                         | 4.32                         | 6.4            |
| 19 | 182.96          | 22366                                      | 62.1         | 6.04                         | 4.52                         | 8.2            |
| 20 | 183.05          | 22497                                      | 62.5         | 5.39                         | 4.55                         | 2.7            |
| 21 | 183.10          | 22570                                      | 62.7         | 5.03                         | 5.2                          | 0              |
| 22 | 183.09          | 22555                                      | 62.7         | 4.75                         | 5.42                         | 10             |
| 23 | 183.05          | 22497                                      | 62.5         | 4.73                         | 5.23                         | 1.7            |
| 24 | 183.02          | 22454                                      | 62.4         | 4.81                         | 5.16                         | 16             |
| 25 | 183.00          | 22424                                      | 62.3         | 4.97                         | 4.8                          | 0.3            |
| 26 | 183.01          | 22439                                      | 62.3         | 5.24                         | 5.41                         | 0              |
| 27 | 183.00          | 22424                                      | 62.3         | 5.51                         | 5.16                         | 0              |
| 28 | 183.02          | 22454                                      | 62.4         | 6.65                         | 4.64                         | 0              |
|    |                 |                                            |              |                              |                              |                |
|    |                 |                                            |              |                              |                              |                |
|    |                 |                                            |              |                              |                              |                |

※掲載されているデータは速報値になります。

# 2025年(令和7年) 3月 日吉ダム諸量

| 日付 | O時貯水位<br>[El.m] | O時貯水量<br>[10 <sup>3</sup> m <sup>3</sup> ] | O時貯水率<br>[%] | 平均流入量<br>[m <sup>3</sup> /s] | 平均放流量<br>[m <sup>3</sup> /s] | 流域平均雨量<br>[mm] |
|----|-----------------|--------------------------------------------|--------------|------------------------------|------------------------------|----------------|
| 1  | 183.14          | 22628                                      | 62.9         | 10.05                        | 4.12                         | 0.0            |
| 2  | 183.49          | 23140                                      | 64.3         | 16.22                        | 3.77                         | 1.5            |
| 3  | 184.22          | 24216                                      | 67.3         | 24.87                        | 3.10                         | 12.6           |
| 4  | 185.47          | 26097                                      | 72.5         | 23.43                        | 2.65                         | 10.7           |
| 5  | 186.63          | 27892                                      | 77.5         | 24.78                        | 2.56                         | 6.1            |
| 6  | 187.83          | 29812                                      | 82.8         | 27.13                        | 3.87                         | 8.2            |
| 7  | 189.04          | 31822                                      | 88.4         | 23.17                        | 11.08                        | 2.9            |
| 8  | 189.65          | 32867                                      | 91.3         | 16.48                        | 13.26                        | 0.0            |
| 9  | 189.81          | 33145                                      | 92.1         | 12.98                        | 12.77                        | 0.0            |
| 10 | 189.82          | 33163                                      | 92.1         | 9.99                         | 10.20                        | 0.0            |
| 11 | 189.81          | 33145                                      | 92.1         | 10.08                        | 8.26                         | 4.6            |
| 12 | 189.90          | 33302                                      | 92.5         | 9.49                         | 7.66                         | 0.2            |
| 13 | 189.99          | 33460                                      | 92.9         | 9.89                         | 6.22                         | 0.0            |
| 14 | 190.17          | 33777                                      | 93.8         | 9.35                         | 8.33                         | 0.0            |
| 15 | 190.22          | 33865                                      | 94.1         | 7.72                         | 9.35                         | 3.2            |
| 16 | 190.14          | 33724                                      | 93.7         | 12.63                        | 10.79                        | 22.5           |
| 17 | 190.23          | 33883                                      | 94.1         | 16.75                        | 13.27                        | 7.4            |
| 18 | 190.40          | 34184                                      | 95.0         | 14.68                        | 12.40                        | 5.9            |
| 19 | 190.51          | 34381                                      | 95.5         | 14.23                        | 10.28                        | 11.0           |
| 20 | 190.70          | 34722                                      | 96.5         | 11.97                        | 10.30                        | 0.0            |
| 21 | 190.78          | 34866                                      | 96.9         | 11.33                        | 9.65                         | 0.0            |
| 22 | 190.86          | 35011                                      | 97.3         | 11.82                        | 8.88                         | 0.0            |
| 23 | 191.00          | 35265                                      | 98.0         | 11.43                        | 10.59                        | 0.0            |
| 24 | 191.04          | 35338                                      | 98.2         | 10.43                        | 11.27                        | 0.0            |
| 25 | 191.00          | 35265                                      | 98.0         | 8.92                         | 10.39                        | 0.0            |
| 26 | 190.93          | 35138                                      | 97.6         | 8.27                         | 8.69                         | 0.0            |
| 27 | 190.91          | 35102                                      | 97.5         | 7.69                         | 7.27                         | 7.1            |
| 28 | 190.93          | 35138                                      | 97.6         | 16.37                        | 14.68                        | 23.1           |
| 29 | 191.01          | 35284                                      | 98.0         | 11.80                        | 12.44                        | 0.7            |
| 30 | 190.98          | 35229                                      | 97.9         | 9.65                         | 9.23                         | 1.5            |
| 31 | 191.00          | 35265                                      | 98.0         | 8.43                         | 8.64                         | 0.0            |

※掲載されているデータは速報値になります。

# 2025年(令和7年) 4月 日吉ダム諸量

| 日付 | O時貯水位<br>[El.m] | O時貯水量<br>[10 <sup>3</sup> m <sup>3</sup> ] | O時貯水率<br>[%] | 平均流入量<br>[m <sup>3</sup> /s] | 平均放流量<br>[m <sup>3</sup> /s] | 流域平均雨量<br>[mm] |
|----|-----------------|--------------------------------------------|--------------|------------------------------|------------------------------|----------------|
| 1  | 190.99          | 35247                                      | 97.9         | 7.19                         | 8.24                         | 0.0            |
| 2  | 190.94          | 35156                                      | 97.7         | 6.46                         | 7.93                         | 0.1            |
| 3  | 190.87          | 35029                                      | 97.3         | 6.26                         | 7.31                         | 3.2            |
| 4  | 190.82          | 34938                                      | 97.1         | 6.48                         | 7.31                         | 2.7            |
| 5  | 190.78          | 34866                                      | 96.9         | 6.09                         | 7.34                         | 0.0            |
| 6  | 190.72          | 34758                                      | 96.6         | 5.45                         | 5.87                         | 0.5            |
| 7  | 190.70          | 34722                                      | 96.5         | 5.11                         | 6.99                         | 0.0            |
| 8  | 190.61          | 34560                                      | 96.0         | 4.77                         | 6.23                         | 0.0            |
| 9  | 190.54          | 34434                                      | 95.7         | 4.44                         | 6.71                         | 0.0            |
| 10 | 190.43          | 34238                                      | 95.1         | 4.28                         | 6.95                         | 2.5            |
| 11 | 190.30          | 34007                                      | 94.5         | 4.53                         | 6.17                         | 0.4            |
| 12 | 190.22          | 33865                                      | 94.1         | 3.99                         | 6.04                         | 0.0            |
| 13 | 190.12          | 33688                                      | 93.6         | 5.43                         | 6.04                         | 26.0           |
| 14 | 190.09          | 33635                                      | 93.4         | 8.65                         | 8.23                         | 0.7            |
| 15 | 190.11          | 33671                                      | 93.5         | 6.26                         | 8.10                         | 4.9            |
| 16 | 190.02          | 33512                                      | 93.1         | 4.90                         | 6.93                         | 0.0            |
| 17 | 189.92          | 33337                                      | 92.6         | 4.59                         | 5.40                         | 0.0            |
| 18 | 189.88          | 33267                                      | 92.4         | 4.14                         | 5.75                         | 0.0            |
| 19 | 189.80          | 33128                                      | 92.0         | 3.74                         | 5.75                         | 0.0            |
| 20 | 189.70          | 32954                                      | 91.5         | 4.03                         | 6.03                         | 14.1           |
| 21 | 189.60          | 32781                                      | 91.1         | 5.39                         | 6.79                         | 0.1            |
| 22 | 189.53          | 32660                                      | 90.7         | 4.16                         | 7.35                         | 6.1            |
| 23 | 189.37          | 32384                                      | 90.0         | 5.39                         | 6.37                         | 8.5            |
| 24 | 189.32          | 32299                                      | 89.7         | 5.10                         | 5.90                         | 0.0            |
| 25 | 189.28          | 32230                                      | 89.5         | 4.60                         | 6.37                         | 0.0            |
| 26 | 189.19          | 32077                                      | 89.1         | 3.90                         | 7.05                         | 0.0            |
| 27 | 189.03          | 31805                                      | 88.3         | 3.64                         | 7.16                         | 0.0            |
| 28 | 188.85          | 31501                                      | 87.5         | 3.99                         | 6.91                         | 7.4            |
| 29 | 188.70          | 31249                                      | 86.8         | 4.13                         | 6.46                         | 0.0            |
| 30 | 188.58          | 31048                                      | 86.2         | 3.25                         | 6.71                         | 0.0            |
|    |                 |                                            |              |                              |                              |                |

※掲載されているデータは速報値になります。

# 2025年(令和7年) 5月 日吉ダム諸量

| 日付 | O時貯水位<br>[El.m] | O時貯水量<br>[10 <sup>3</sup> m <sup>3</sup> ] | O時貯水率<br>[%] | 平均流入量<br>[m <sup>3</sup> /s] | 平均放流量<br>[m <sup>3</sup> /s] | 流域平均雨量<br>[mm] |
|----|-----------------|--------------------------------------------|--------------|------------------------------|------------------------------|----------------|
| 1  | 188.4           | 30749                                      | 85.4         | 3.02                         | 6.85                         | 0.0            |
| 2  | 188.2           | 30418                                      | 84.5         | 7.41                         | 5.50                         | 30.5           |
| 3  | 188.3           | 30583                                      | 85           | 7.92                         | 5.62                         | 0.0            |
| 4  | 188.42          | 30782                                      | 85.5         | 5.30                         | 6.46                         | 0.0            |
| 5  | 188.36          | 30682                                      | 85.2         | 4.69                         | 7.18                         | 0.0            |
| 6  | 188.23          | 30467                                      | 84.6         | 5.59                         | 8.07                         | 32.6           |
| 7  | 188.1           | 30253                                      | 84           | 12.83                        | 9.21                         | 0.1            |
| 8  | 188.29          | 30566                                      | 84.9         | 8.69                         | 11.17                        | 0.0            |
| 9  | 188.16          | 30352                                      | 84.3         | 7.32                         | 11.50                        | 14.8           |
| 10 | 187.94          | 29991                                      | 83.3         | 9.40                         | 11.47                        | 0.5            |
| 11 | 187.83          | 29812                                      | 82.8         | 7.70                         | 11.46                        | 3.6            |
| 12 | 187.63          | 29487                                      | 81.9         | 7.24                         | 10.61                        | 2.3            |
| 13 | 187.45          | 29196                                      | 81.1         | 5.91                         | 9.25                         | 0.0            |
| 14 | 187.27          | 28907                                      | 80.3         | 5.13                         | 8.08                         | 0.0            |
| 15 | 187.11          | 28652                                      | 79.6         | 4.75                         | 7.70                         | 0.0            |
| 16 | 186.95          | 28397                                      | 78.9         | 4.41                         | 8.07                         | 0.0            |
| 17 | 186.75          | 28081                                      | 78           | 5.70                         | 8.98                         | 13.4           |
| 18 | 186.57          | 27798                                      | 77.2         | 5.36                         | 8.98                         | 0.1            |
| 19 | 186.37          | 27485                                      | 76.3         | 4.15                         | 9.01                         | 0.0            |
| 20 | 186.1           | 27065                                      | 75.2         | 3.90                         | 8.90                         | 0.0            |
| 21 | 185.82          | 26633                                      | 74           | 3.86                         | 8.65                         | 0.3            |
| 22 | 185.55          | 26219                                      | 72.8         | 3.71                         | 8.29                         | 0.8            |
| 23 | 185.29          | 25823                                      | 71.7         | 3.16                         | 7.89                         | 0.0            |
| 24 | 185.02          | 25414                                      | 70.6         | 4.02                         | 7.69                         | 24.3           |
| 25 | 184.81          | 25097                                      | 69.7         | 10.19                        | 14.17                        | 8.5            |
| 26 | 184.58          | 24753                                      | 68.8         | 6.88                         | 11.89                        | 0.0            |
| 27 | 184.29          | 24320                                      | 67.6         | 5.33                         | 10.64                        | 0.0            |
| 28 | 183.98          | 23861                                      | 66.3         | 4.38                         | 10.01                        | 0.0            |
| 29 | 183.65          | 23375                                      | 64.9         | 4.18                         | 9.27                         | 0.9            |
| 30 | 183.35          | 22935                                      | 63.7         | 3.85                         | 8.58                         | 1.2            |
| 31 | 183.07          | 22526                                      | 62.6         | 3.33                         | 8.70                         | 1.5            |

※掲載されているデータは速報値になります。

# 2025年(令和7年) 6月 日吉ダム諸量

| 日付 | O時貯水位<br>[El.m] | O時貯水量<br>[10 <sup>3</sup> m <sup>3</sup> ] | O時貯水率<br>[%] | 平均流入量<br>[m <sup>3</sup> /s] | 平均放流量<br>[m <sup>3</sup> /s] | 流域平均雨量<br>[mm] |
|----|-----------------|--------------------------------------------|--------------|------------------------------|------------------------------|----------------|
| 1  | 182.75          | 22062                                      | 61.3         | 4.39                         | 8.92                         | 7.3            |
| 2  | 182.48          | 21671                                      | 60.2         | 4.37                         | 9.54                         | 0.2            |
| 3  | 182.17          | 21224                                      | 59.0         | 15.61                        | 17.77                        | 43.6           |
| 4  | 182.04          | 21037                                      | 58.4         | 15.49                        | 24.11                        | 0.1            |
| 5  | 181.52          | 20292                                      | 56.4         | 9.58                         | 14.71                        | 0.0            |
| 6  | 181.21          | 19849                                      | 55.1         | 7.17                         | 12.45                        | 0.0            |
| 7  | 180.89          | 19393                                      | 53.9         | 5.66                         | 11.42                        | 0.0            |
| 8  | 180.54          | 18895                                      | 52.5         | 5.08                         | 9.03                         | 0.0            |
| 9  | 180.30          | 18554                                      | 51.5         | 4.60                         | 11.50                        | 2.2            |
| 10 | 179.88          | 17958                                      | 49.9         | 16.26                        | 18.89                        | 64.4           |
| 11 | 179.72          | 17731                                      | 49.3         | 71.00                        | 71.00                        | 35.9           |
| 12 | 179.72          | 17731                                      | 49.3         | 43.94                        | 54.45                        | 0.0            |
| 13 | 179.08          | 16823                                      | 46.7         | 21.83                        | 32.18                        | 0.0            |
| 14 | 178.45          | 15929                                      | 44.2         | 16.26                        | 15.92                        | 29.0           |
| 15 | 178.47          | 15958                                      | 44.3         | 25.12                        | 4.76                         | 7.6            |
| 16 | 179.71          | 17717                                      | 49.2         | 21.28                        | 13.73                        | 1.2            |
| 17 | 180.17          | 18369                                      | 100.0        | 15.93                        | 14.61                        | 0.0            |
| 18 | 180.25          | 18483                                      | 100.0        | 11.88                        | 11.38                        | 0.0            |
| 19 | 180.28          | 18526                                      | 100.0        | 9.27                         | 9.27                         | 0.0            |
| 20 | 180.28          | 18526                                      | 100.0        | 8.25                         | 8.09                         | 0.0            |
| 21 | 180.29          | 18540                                      | 100.0        | 7.64                         | 15.52                        | 0.0            |
| 22 | 179.81          | 17859                                      | 100.0        | 6.71                         | 17.72                        | 0.8            |
| 23 | 179.14          | 16908                                      | 100.0        | 9.76                         | 10.26                        | 22.3           |
| 24 | 179.11          | 16865                                      | 100.0        | 10.57                        | 13.20                        | 19.9           |
| 25 | 178.95          | 16638                                      | 100.0        | 10.01                        | 3.93                         | 0.6            |
| 26 | 179.32          | 17163                                      | 100.0        | 10.68                        | 3.94                         | 14.7           |
| 27 | 179.73          | 17745                                      | 100.0        | 10.58                        | 4.83                         | 0.0            |
| 28 | 180.08          | 18242                                      | 100.0        | 8.03                         | 5.74                         | 0.0            |
| 29 | 180.22          | 18440                                      | 100.0        | 6.71                         | 6.05                         | 0.0            |
| 30 | 180.26          | 18497                                      | 100.0        | 5.96                         | 6.45                         | 2.3            |
| 31 |                 |                                            |              |                              |                              |                |

※掲載されているデータは速報値になります。